

(72) RONDEAU, BRUCE ALFRED, CA

(71) RONDEAU, BRUCE ALFRED, CA

(51) Int.Cl.<sup>7</sup> B62B 15/00, B63B 35/73, E04H 15/06

(54) **BATEAU UTILISABLE SUR LA NEIGE**

(54) **SNOBOAT**

(57) This invention is a sled that can be used as a shelter and also a boat. In the winter months it can be used for ice fishing or other activities. It can be pulled or towed to your location then stood on end to provide shelter. In the summer it may be used as a personal watercraft which may be equipped with a proportionate sized motor ie: electric or very small outboard.

**To Whom It May Concern**

**This letter is to indicate my request that a patent be considered for the below mentioned invention.**

**Abstract**

**This invention is a sled that can be used as a shelter and also a boat. In the winter months it can be used for ice fishing or other activities. It can be pulled or towed to your location then stood on end to provide shelter. In the summer it may be used as a personal watercraft which may be equiped with a porportionate sized motor ie: electric or very small outboard.**

---

### **Specification**

**This invention is generally to be used for ice fishing, trapping or that type of activity.**

**Most of the ice fishing units available are either complicated or require a lot of setting up and are cumbersome to transport.**

**This invention can easily be transported on the roof of a car for example, will carry your gear to your site by pulling or towing and requires very little set up.**

- 1 This invention may be pulled or towed with gear inside.**
  - 2 It will be stood up to use as a shelter.**
  - 3 It may be utilized as a boat.**
-

### **Claims**

**1 This invention is a sled that can be pulled or towed to a location then erected to form a shelter. It may also be used as a small watercraft. It will be constructed preferably out of molded plastic but may also be made from aluminum, fiberglass, wood or any combination of these.**



**2 The same as claim 1**

**With spikes that may be molded or attached or part of the hitch system.**


**3 The same as claim 1 with the front being slanted to provide easier pulling.**

**4 The same as claim 1 with eyelets molded or attached for the purpose**


---



FRONT STANDING




REAR VIEW




- ① BATTERY BOX
- ② TRANSOM
- ③ SEATING
- ④ EYELETS
- ⑤ SPIKES
- ⑥ ROPE
- ⑦ TIE DOWN SPIKE
- ⑧ OPENING FOR MOTOR BRACKETS
- ⑨ HINGE
- ⑩ COTTER PINS


SIDE STANDING




DIFFERENT SEAT



HITCH SYSTEM



WHILE IN TOW



SET UP